## AUTHOR INDEX


Alvarez, Robert E., Dual-kVp radiography, 239
——, Tissue characterization using energy-selective computed tomography, 301
Annis, M., Digital radiography: spatial and contrast resolution, 103
Arakawa, Mitsuaki, Potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, 210
Arnold, Ben A., Digital radiography: an overview, 215
Axel, Leon, Tissue characterization by dynamic contrast enhancement of the brain, 278
Baranoski, Dennis, Design of a multi-format camera for medical fluoroscopy, 338
Bednarek, Daniel R., Sensitometry at low x-ray energies, 63
Benton, E. V., Computerized heavy-ion tomography, 283
Bjorkolm, Paul, Digital radiography: spatial and contrast resolution, 103
Blanco, Ernesto, Fundamentals of computerized tomography (CT) tissue characterization of the brain, 256
Bollen, Romain, Influence of ambient light on the "visual"sensitometric properties of, an detail perception on, a radiograph, 57
Borger, David, Digital radiography: an overview, 215
Brody, William R., Dual-kVp radiography, 239
Capp, M. P., Photoelectronic digital radiology: development and evaluation leading to intravenous angiography, 227
Chu, W. T., Computerized heavy-ion tomography, 283
Couch, John L., Sampling the Radon transformation in conventional computed tomography, 326
Crooks, Lawrence E., Nuclear magnetic resonance (NMR) imaging at the University of California, San Francisco, 11
——, Potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small matallic implants, 210
Dahlberg, Roger, Digital subtraction fluoroscopic system with tandem video processing unit, 108
Daniels, Cupido, Variation with kVp of exposure and attenuation throughout a radiographic system and assessment of the speed of films, screens, and processors, 73
Danos, M., Exposure limits imposed by screen-film systems on the transfer of image information, 52
Davis, Peter L., Nuclear magnetic resonance (NMR) imaging at the University of California, San Francisco, 11
——, Potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, 210
DiBianca, F. A., Performance characteristics of a digital fluorographic system, 88
Dick, C. E., Exposure limits imposed by screen-film systems on the transfer of image information, 52
Doria, D., Computer simulation of image reconstruction with a new electronically collimated gamma tomography system, 192
Doyle, F. H., Nuclear magnetic resonance (NMR) imaging at Hammersmith Hospital, 8
Drost, D. J., Characteristics of a linear xenon detector array for digital radiography, 108
Edelstein, Gerald R., Reducing patient exposure and operating room procedure time with electronic imaging, 248
Edmonds, Ernest W., Design of a multi-format camera for medical fluoroscopy, 338
Eisenberg, Harvey, Digital radiography: an overview, 215
Fabrikant, J. I., Computerized heavy-on tomography, 283
Fenster, Aaron, Characteristics of a linear xenon detector array for digital radiography, 108
——, Split-filter computed tomography (CT) for routine dual energy scanning, 294
Fisher, H. D., Photoelectronic digital radiology: development and evaluation leading to intravenous angiography, 227
Flynn, M. J., Digital storage compression for diagnostic images, 357
Ford, K., Digital radiography using the Quantex, 114
Frederick, E., Digital radiography: spatial and contrast resolution, 103
Frey, G. Donald, Tube by tube analysis of field uniformity for gamma cameras, 188
Friedenberg, R. M., Evaluation of renal function by digital subtraction imaging, 120
Frost, M. M., Photoelectronic digital radiology: development and evaluation leading to intravenous angiography, 227
Fujimura, Osamu, X-ray microbeam system with a discrete-spot target, 244
Fullerton, Gary D., Fundamentals of computerized tomography (CT) tissue characterization of the brain, 256
Gardineer, Bayard, Video-photographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, 343
Gehrich, J. L., Evaluation of renal function by digital subtraction imaging, 120
Georges, Jean-Pierre J., Performance characteristics of a digital fluorographic system, 88
——, Understanding of digital radiography through image computer simulation, an, 96
Glassman, Armand P., Tube by tube analysis of field uniformity for gamma cameras, 188
Gore, J. C., Nuclear magnetic resonance (NMR) imaging at Hammersmith Hospital, 8
Gould, Robert G., Digital subtraction fluoroscopic system with tandem video processing units, 108
Guebert, Deborah K., Evaluation of the resolution limit for radiological procedures, 177
Hall, Anne, Dual-kVp radiography, 239
Haskin, Marvin E., X-ray microbeam system with a discrete-spot target, 244
Haus, Arthur G., Evaluation of the resolution limit for radiological procedures, 177
Hawkes, R. C., Nuclear magnetic resonance (NMR) tomography at Nottingham: methods system technology and results, 2
Heinz, E. Ralph, Digital radiography using the Quantex, 114
——, Evaluation of multiplanar imaging capabilities of four current computed tomography (CT) scanners, 318
Herfkens, Robert, Nuclear magnetic resonance (NMR) imaging at the University of California, San Francisco, 11
Herman, Gabor T., Three-dimensional display of nuclear magnetic resonance images, 35
Hills, John F., Computer generated cardiac model for nuclear medicine, 201
Holland, G. N., Nuclear magnetic resonance (NMR) tomography at Nottingham: methods system technology and results, 2
Holley, W. R., Computerized heavy-ion tomography, 283
Howlett, Charles, Video-photographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, 343
Hunt, M. A., Dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, 308
Hynes, David M., Design of a multi-format camera for medical fluoroscopy, 338
Jennings, Robert J., Phantoms for the accurate simulation of energy-dependent patient/x-ray beam interactions, 134
Jensen, G. A., Performance characteristics of a digital fluorographic system, 88
Johnson, G. Allan, Digital radiography using the Quantex, DS-20, 114
——, Evaluation of multiplanar imaging capabilities of four current computed tomography (CT) scanners, 318
Jost, R. Gilbert, Digital processing of conventional tomograms, 350
Kaufman, Leon, Potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, 210
Kelsey, C. A., X-ray phantom development for observer performance studies, 77

Keyes, Gary S., Performance characteristics of a digital fluorographic system, 88
———, Understanding of digital radiography through image computer simulation, an, 96
Korobkin, Melvyn, Evaluation of multiplanar imaging capabilities of four current computed tomography (CT) scanners, 318
Kramer, David, M., three-dimensional display of nuclear magnetic resonance images, 35
Krametz, Karl R., Design of a multi-format camera for medical fluoroscopy, 338
Krieger, Sidney, Video-photographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, 343
Laughlin, J. S., Dependence of the computerized tomography (CT) number-electron density realtionship on patient size and x-ray beam filtration for fan beam CT scanners, 308
Lauterbur, Paul C., Three-dimensional display of nuclear magnetic resonance images, 35
Lazzaro, Gerard, Video-photographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, 343
Lehmann, Leonard A., Dual-kVp radiography, 239
Lewis, Roger, Tissue characterization using energy-selective computed tomography, 301
Lin, Pei-Jan Paul, Performance evaluation of image intensifiers coupled with photofluorographic camera and their clinical application, 160
Lipton, Martin J., Digital subtraction fluoroscopic system with tandem video processing units, 108
Llacer, J., Computerized heavy-ion tomography, 283
Lyons, David, Video-holographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, 343
Macovski, Albert, Dual-kVp radiography, 239
Mares, R. M., Digital storage compression for diagnostic images, 357
Margulis, Alexander R., Potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, 210
Marshall, William H., Tissue characterization using energy-selective computerized tomography, 301
Masterson, M. E., Dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, 308
Mawdsley, Gordon E., quantification of silver in radiographic film, 80
McDavid, William D., Computer controlled technique factors in diagnostic radiology, 137
McGary, R., Dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, 308
McRee, Robert, Potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, 210
Mengers, Paul, Digital subtraction fluoroscopic system with tandem video processing units, 108
Metherell, Alexander, Digital radiography: an overview, 215
Mettler, F. A., X-ray phantom development for observer performance studies, 77
Meyers, Sheridan N., Performance evaluation of image intensifiers coupled with photofluorographic camera and their clinical application, 160
Mezrich, Reuben, Video-photographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, 343
Miller, D. W., Dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, 308
Miller, Tom R., Computer generated cardiac model for nuclear medicine, 201
Mintzer, Richard A., Performance evaluation of image intensifiers coupled with photofluorographic camera and their clinical application, 160
Moore, Robert J., Photographic method for measurement of image intensifier tube contrast, 168
Moore, W. S., Nuclear magnetic resonance (NMR) tomography at Nottingham: methods system technology and results, 2
Moseley, R. D., X-ray phantom development for observer performance studies, 77
Motz, J. W., Exposure limits imposed by screen-film systems on the transfer of image information, 52
Mulvaney, James A., System-level performance testing of image-intensified x-ray equipment, 153
Nalcioglu, O., Evaluation of renal function by digital subtraction imaging, 120
Neiman, Harvey L., Performance evaluation of image intensifiers coupled with photofluorographic camera and their clinical application, 160
Newman, J. S., Digital storage compression for diagnostic images, 357
Nudelman, S., Photoelectronic digital radiology: development and evaluation leading to intravenous angiography, 227
Nunnally, Ray L., Phosphorus nuclear magnetic resonance (NMR) of myocardial infarction using surface coils, 16
Ouimette, D., Photoelectronic digital radiology: development and evaluation leading to intravenous angiography, 227
Ovitt, T. W., Photoelectronic digital radiology: development and evaluation leading to intravenous angiography, 227
Parker, Dennis L., Sampling the Radon transformation in conventional computed tomography, 326
Parker, T. W., X-ray phantom development for observer performance studies, 77
Pearce, J. G., Evaluation of renal function by digital subtraction imaging, 120
Pelc, Norbert J., Dual-kVp radiography, 239
———, Performance characteristics of a digital fluorographic system, 88
———, Understanding of digital radiography through image computer simulation, an, 96
Pennock, J. M., Nuclear magnetic resonance (NMR) imaging at Hammersmith Hospital, 8
Peschmann, Kristian R., Sampling the Radon transformation in conventional computed tomography, 326
Pillai, Bhas K., Computer controlled technique factors in diagnostic radiology, 137
Plewes, D. B., Tissue characterization with contrast enhancement of the brain, 267
Richards, Doug, Determination of x-ray tube potential (kV) waveform by a noninvasive evaluation of radiation output (NERO), 149
Riederer, Stephen J., Dual-kVp radiography, 239
———, Performance characteristics of a digital fluorographic system, 88
———, Understanding of digital radiography through image computer simulation, an, 96
Roeck, W. W., Evaluation of renal function by digital subtraction imaging, 120
Roehrig, H., Photoelectronic digital radiology: development and evaluation leading to intravenous angiography, 227
Rosenberg, H., Evaluation of renal function by digital subtraction imaging, 120
Rossi, Raymond P., System-level performance testing of image-intensified x-ray equipment, 153
Rowlands, John, Design of a multi-format camera for medical fluoroscopy, 338
Rudin, Andrew M., Three-dimensional display of nuclear magnetic resonance images, 35
Rudin, Stephen, Sensitometry at low x-ray energies, 63
Rutt, Brian, Split-filter computed tomography (CT) for routine dual energy scanning, 294
Schneider, Jay S., Three-dimensional display of nuclear magnetic resonance images, 35
Seibert, J. A., Evaluation of renal function by digital subtraction imaging, 120
Simon, Howard E., A whole body nuclear magnetic resonance (NMR) imaging system with full three-dimensional capabilities, 41
Simon, William E., Determination of x-ray tube potential (kV) waveform by a noninvasive evaluation of radiation output (NERO), 149

Simpson, L. D., Dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, 308
Singh, M., Computer simulation of image reconstruction with a new electronically collimated gamma tomography system, 192
Smith, Vernon, Sampling the Radon transformation in conventional computed tomography, 326
Sommer, F. Graham, Dual-kVp radiography, 239
Spicka, James T., System-level performance testing of image-intensified x-ray equipment, 153
Stein, J., Digital radiography: spatial and contrast resolution, 103
Steinike, E. R., Performance characteristics of a digital fluorographic system, 88
Swift, R., Digital radiography: spatial and contrast resolution, 103
Taylor, Kenneth W., Variation with kVp of exposure and attenuation throughout a radiographic system and assessment of the speed of films, screens, and processors, 73
Thomason, C. L., Dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, 308
Titus, Donald E., Anatomy of silver recovery, 235
Tobias, C. A., Computerized heavy-ion tomography, 283
Udupa, Jayaram K., Three-dimensional display of nuclear magnetic resonance images, 35
Vannier, Michael W., Digital processing of conventional tomograms, 350
Violante, M., Tissue characterization with contrast enhancement of the brain, 267
Vranckx, Jean, Influence of ambient light on the "visual" sensitometric properties of, and detail perception on, a radiograph, 57
Waggener, Robert G., Computer controlled technique factors in diagnostic radiology, 137
Wayrynen, R. E., Efficient use of silver halide in x-ray film, 232
Wesbey, W. H., Performance characteristics of a digital fluorographic system, 88
Wiseman, Donald, Video-photographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, 343
Wong, Roland, Sensitometry at low x-ray energies, 63
Yaffe, Martin J., Quantification of silver in radiographic film, 80
Zweig, Gilbert, Screen speed designations: a need for standardization and some suggestions, 67

## SUBJECT INDEX

Accurate simulation of energy-dependent patient/x-ray beam interactions, phantoms for the, 134
Ambient light on the "visual" sensitometric properties of, and detail perception on , a radiograph, influence of, 57
Analysis of field uniformity for gamma cameras, tube by tube, 188
Anatomy of silver recovery, 235
Angiography, photoelectronic digital radiology: development and evaluation leading to intravenous, 227
Application, performance evaluation of image intensifiers coupled with photofluorographic camera and their clinical, 160
Array for digital radiography, characteristics of a linear xenon detector, 108
Assessment of the speed of films, screens, and processors, variation with kVp of exposure and attenuation throughout a radiographic system and, 273
Attenuation throughout a radiographic system and assessment of the speed of films, screens, and processors, variation with kVp of exposure and, 73

Beam filtration for fan beam CT scanners, dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray, 308
Body nuclear magnetic resonance (NMR) imaging system with full three-dimensional capabilities, a whole, 41
Brain, fundamentals of computerized tomography (CT) tissue characterization of the, 256
Brain, tissue characterization with contrast enhancement of the, 267
Brain, tissue characterization by dynamic contrast enhancement of the, 278
Breast, video-photographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of, 343

(CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, dependence of the computerized tomography, 308
(CT) for routine dual energy scanning, split-filter computed tomography, 294
CT scanners, dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam, 308
(CT) tissue characterization of the brain, fundamentals of computerized tomography, 256
Camera for medical fluoroscopy, design of a multi-format, 338
Camera and their clinical application, performance evaluation of image intensifiers coupled with photofluorographic, 160
Cameras, tube by tube analysis of field uniformity for gamma, 188
Capabilities of four current computed tomography (CT) scanners, evaluation of multiplanar imaging, 318
Cardiac model for nuclear medicine, computer generated, 201
Changing magnetic fields and rf fields on small metallic implants, potential hazards in nuclear magnetic resonance (NMR) imaging heating effects of, 210
Characteristics of a digital fluorographic system, performance, 88
Characteristics of a linear xenon detector array for digital radiography, 108
Characterization of the brain, fundamentals of computerized tomography (CT) tissue, 256
Characterization with contrast enhancement of the brain, tissue, 267
Characterization by dynamic contrast enhancement of the brain, tissue, 278
Characterization using energy-selective computer tomography, tissue, 301
Clinical application, performance evaluation of image intensifiers coupled with photofluorographic camera and their, 160
Coils, phosphorus nuclear magnetic resonance (NMR) of myocardial infarction using surface, 16
Collimated gamma tomography system, computer simulation of image reconstruction with a new electronically, 192
Compression for diagnostic images, digital storage, 357
Computed tomography (CT) for routine dual energy scanning, split-filter, 294
Computed tomography (CT) scanners, evaluation of multiplanar imaging capabilities of four current, 318
Computed tomography, sampling the Radon transformation in conventional, 326
Computed tomography, tissue characterization using energy-selective, 301
Computer controlled technique factors in diagnostic radiology, 137
Computer generated cardiac model for nuclear medicine, 201
Computer simulation of image reconstruction with a new electronically collimated gamma tomography system, 192
Computer simulation, an understanding of digital radiography through image, 96
Computerized heavy-ion tomography, 283
Computerized tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, dependence of the, 308

Computerized tomography (CT) tissue characterization of the brain, fundamentals of, 256
Contrast enhancement of the brain, tissue characterization with, 267
Contrast enhancement of the brain, tissue characterization by dynamic, 278
Contrast, photographic method for measurement of image intensifier tube, 168
Contrast resolution, digital radiography: spatial and, 103
Controlled technique factors in diagnostic radiology, computer, 137
Conventional computed tomography, sampling the Radon transformation in, 326
Conventional tomograms, digital processing of, 350
Coupled with photofluorographic camera and their clinical application, performance evaluation of image intensifiers, 160

Density relationship on patient size and x-ray beam filtration for fan beam CT scanners, dependence of the computerized tomography (CT) number-electron, 308
Dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, 308
Dependent patient/x-ray beam interactions, phantoms for the accurate simulation of energy, 134
Design of a multi-format camera for medical fluoroscopy, 338
Designations: a need for standardization and some suggestions, screen speed, 67
Detail perception on, a radiograph, influence of ambient light on the "visual" sensitometric properties of, and, 57
Detector array for digital radiography, characteristics of a linear xenon, 108
Determination of x-ray tube potential (kV) waveform by a noninvasive evaluation of radiation output (NERO), 149
Development and evaluation leading to intravenous angiography, photoelectronic digital radiology:, 227
Development for observer performance studies, x-ray phantom, 77
Diagnostic images, digital storage compression for, 357
Diagnostic radiology, computer controlled technique factors in, 137
Digital fluorographic system, performance characteristics of a, 88
Digital processing of conventional tomograms, 350
Digital radiography, characteristics of a linear xenon detector array for, 108
Digital radiography through image computer simulation, an understanding of, 96
Digital radiography: an overview, 215
Digital radiography using the Quantex DS-20, 114
Digital radiography: spatial and contrast resolution, 103
Digital radiology: development and evaluation leading to intravenous angiography, photoelectronic, 227
Digital storage compression for diagnostic images, 357
Digital subtraction fluoroscopic system with tandem video processing units, 108
Digital subtraction imaging, evaluation of renal function by, 120
Dimensional display of nuclear magnetic resonance images, three-, 35
Discrete-spot target, x-ray microbeam system with a, 244
Display of nuclear magnetic resonance images, three-dimensional, 35
Dual-kVp radiography, 239
Dual energy scanning, split-filter computed tomography (CT) for routine, 294
Dynamic contrast enhancement of the brain, tissue characterization by, 278

Efficient use of silver halide in x-ray film, 232
Electron density relationship of patient size and x-ray beam filtration for fan beam CT scanners, dependence of the computerized tomography (CT) number-, 308
Electronic imaging, reducing patient exposure and operating room procedure time with, 248
Electronically collimated gamma tomography system, computer simulation of image reconstruction with a new, 192
Energies, sensitometry at low x-ray, 63
Energy-dependent patient/x-ray beam interactions, phantoms for the accurate simulation of, 134
Energy scanning, split-filter computed tomography (CT) for routine dual, 294
Energy-selective computed tomography, tissue characterization using, 301
Enhancement of the brain, tissue characterization with contrast, 267
Enhancement of the brain, tissue characterization by dynamic contrast, 278
Equipment, system-level performance testing of image-intensified x-ray, 153
Evaluation of image intensifiers coupled with photofluorographic camera and their clinical application, performance, 160
Evaluation leading to intravenous angiography, photoelectronic digital radiology: development and, 227
Evaluation of multiplanar imaging capabilities of four current computed tomography (CT) scanners, 318
Evaluation of renal function by digital subtraction imaging, 120
Evaluation of the resolution limit for radiological procedures, 177
Exposure and attenuation throughout a radiographic system and assessment of the speed of films, screens, and processors, variation with kVp of, 73
Exposure limits imposed by screen-film systems on the transfer of image information, 52
Exposure and operating room procedure time with electronic imaging, reducing patient, 248

Factors in diagnostic radiology, computer controlled technique, 137
Fan beam CT scanners, dependence of the computed tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for, 308
Field uniformity for gamma cameras, tube by tube analysis of, 188
Fields and rf fields on small metallic implants, potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic, 210
Film, efficient use of silver halide in x-ray, 232
Film, quantification of silver in radiographic, 80
Film systems on the transfer of image information, exposure limits imposed by screen-, 52
Films, screens, and processors, variation with kVp of exposure and attenuation throughout a radiographic system and assessment of the speed of, 73
Filter computed tomography (CT) for routine dual energy scanning, split-, 294
Filtration for fan beam CT scanners, dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray beam, 308
Flexible replay of real-time ultrasonic imaging of the breast, videophotographic system for rapid inexpensive unit-record recording and, 343
Fluorographic system, performance characteristics of a digital, 88
Fluoroscopic system with tandem video processing units, digital subtraction, 108
Fluoroscopy, design of a multi-format camera for medical, 338
Format camera for medical fluoroscopy, design of a multi-, 338
Function by digital subtraction imaging, evaluation of renal, 120
Fundamentals of computerized tomography (CT) tissue characterization of the brain, 256

Gamma cameras, tube by tube analysis of field uniformity for, 188
Gamma tomography system, computer simulation of image reconstruction with a new electronically collimated, 192
Generated cardiac model for nuclear medicine, computer, 201

Hammersmith Hospital, nuclear magnetic resonance (NMR) imaging at, 8
Hazards in nuclear magnetic resonance (NMR) imaging; heating effects of changing magnetic fields and rf fields on small metallic implants, potential, 210
Heating effects of changing magnetic fields and rf fields on small metallic implants, potential hazards in nuclear magnetic resonance (NMR) imaging:, 210
Heavy-ion tomography, computerized, 283

Image computer simulation, an understanding of digital radiography through, 96
Image information, exposure limits imposed by screen-film systems on the transfer of, 52
Image-intensified x-ray equipment, system-level performance testing of, 153
Image intensifier tube contrast, photographic method for measurement of, 168
Image intensifiers coupled with photofluorographic camera and their clinical application, performance evaluation of, 160
Image reconstruction with a new electronically collimated gamma tomography system, computer simulation of, 192
Images, digital storage compression for diagnostic, 357
Images, three-dimensional display of nuclear magnetic resonance, 35
Imaging of the breast, video-photographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic, 343
Imaging capabilities of four current computed tomography (CT) scanners, evaluation of multiplanar, 318
Imaging, evaluation of renal function by digital subtraction, 120
Imaging at Hammersmith Hospital, nuclear magnetic resonance (NMR), 8
Imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, potential hazards in nuclear magnetic resonance (NMR), 210
Imaging, reducing patient exposure and operating room procedure time with electronic, 248
Imaging system with full three-dimensional capabilities, a whole body nuclear magnetic resonance (NMR), 41
Imaging at the University of California, San Francisco, nuclear magnetic resonance (NMR), 11
Implants, potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic, 210
Inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, video-photographic system for rapid, 343
Infarction using surface coils, phosphorous nuclear magnetic resonance (NMR) of myocardial, 16
Influence of ambient light on the "visual" sensitometric properties of, and detail perception on, a radiograph, 57
Information, exposure limits imposed by screen-film systems on the transfer of image, 52
Intensified x-ray equipment, system-level performance testing of image-, 153
Intensifier tube contrast, photographic method for measurement of image, 168
Intensifiers coupled with photofluorographic camera and their clinical application, performance evaluation of image, 160
Interactions, phantoms for the accurate simulation of energy-dependent patient x-ray beam, 134
Intravenous angiography, photoelectronic digital radiology: development and evaluation leading to, 227

kVp of exposure and attentuation throughout a radiographic system and assessment of the speed of films, screens, and processors, variation with, 73

Level performance testing of image-intensified x-ray equipment, system-, 153
Light on the "visual" sensitometric properties of, and detail perception on, a radiograph, influence of ambient, 57
Limit for radiological procedures, evaluation of the resolution, 177
Limits imposed by screen-film systems on the transfer of image information, exposure, 52
Linear xenon detector array for digital radiography, characteristics of a, 108
Low x-ray energies, sensitometry at, 63

Magnetic fields and rf fields on small metallic implants, potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing, 210
Magnetic resonance images, three-dimensional display of nuclear, 35
Magnetic resonance (NMR) imaging at Hammersmith Hospital, nuclear, 8
Magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, potential hazards in nuclear, 210
Magnetic resonance (NMR) imaging system with full three-dimensional capabilities, a whole body nuclear, 41
Magnetic resonance (NMR) imaging at the University of California, San Francisco, nuclear, 11
Magnetic resonance (NMR) of myocardial infarction using surface coils, phosphorus nuclear, 16
Magnetic resonance (NMR) tomography at Nottingham: methods system technology and results, nuclear, 2
Measurement of image intensifier tube contrast, photographic method for, 168
Medical fluoroscopy, design of a multiformat camera for, 338
Medicine, computer generated cardiac model for nuclear, 201
Metallic implants, potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small, 210
Methods system technology and results, nuclear magnetic resonance (NMR) tomography at Nottingham:, 2
Microbeam system with a descrete-spot target, x-ray, 244
Model for nuclear medicine, computer generated cardiac, 201
Multi-format camera for medical fluoroscopy, design of a, 338
Multiplanar imaging capabilities of four current computed tomography (CT) scanners, evaluation of, 318
Myocardial infarction using surface coils, phosphorus nuclear magnetic resonance (NMR) of, 16

(NERO), determination of x-ray tube potential (kV) waveform by a noninvasive evaluation of radiation output, 149
(NMR) imaging at Hammersmith Hospital, nuclear magnetic resonance, 8
(NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, potential hazards in nuclear magnetic resonance, 210
(NMR) imaging system with full three-dimensional capabilities, a whole body nuclear magnetic resonance, 41
(NMR) imaging at the University of California, San Francisco, nuclear magnetic resonance, 11
(NMR) of myocardial infarction using surface coils, phosphorus nuclear magnetic resonance, 16
(NMR) tomography at Nottingham: methods system technology and results, nuclear magnetic resonance, 2
Noninvasive evaluation of radiation output (NERO), determination of x-ray tube potential (kV) waveform by a, 149
Nottingham: methods system technology and results, nuclear magnetic resonance (NMR) tomography at, 2
Nuclear magnetic resonance images, three-dimensional display of, 35
Nuclear magnetic resonance (NMR) imaging at Hammersmith Hospital, 8
Nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, potential hazards in, 210
Nuclear magnetic resonance (NMR) imaging system with full three-dimensional capabilities, a whole body, 41
Nuclear magnetic resonance (NMR) imaging at the University of California, San Francisco, 11
Nuclear magnetic resonance (NMR) of myocardial infarction using surface coils, phosphorus, 16
Nuclear magnetic resonance (NMR) tomography at Nottingham: methods system technology and results, 2
Nuclear medicine, computer generated cardiac model for, 201
Number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, dependence of the computerized tomography (CT), 308

Observer performance studies, x-ray phantom development for, 77

Operating room procedure time with electronic imaging, reducing patient exposure and, 248
Overview, digital radiography: an, 215

Patient exposure and operating room procedure time with electronic imaging, reducing, 248
Patient size and x-ray beam filtration for fan beam CT scanners, dependence of the computerized tomography (CT) number-electron density relationship on, 308
Patient/x-ray beam interactions, phantoms for the accurate simulation of energy-dependent, 134
Perception on, a radiograph, influence of ambient light on the "visual" sensitometric properties of, and detail, 57
Performance characteristics of a digital fluorographic system, 88
Performance evaluation of image intensifiers coupled with photofluorographic camera and their clinical application, 160
Performance studies, x-ray phantom development for observer, 77
Performance testing of image-intensified x-ray equipment, system-level, 153
Phantom development for observer performance studies, x-ray, 77
Phantoms for the accurate simulation of energy-dependent patient/x-ray beam interactions, 134
Phosphorus nuclear magnetic resonance (NMR) of myocardial infarction using surface coils, 16
Photoelectronic digital radiology: development and evaluation leading to intravenous angiography, 227
Photofluorographic camera and their clinical application, performance evaluation of image intensifiers coupled with, 160
Photographic method for measurement of image intensifier tube contrast, 168
Photographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, video-, 343
Potential hazards in nuclear magnetic resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, 210
Procedure time with electronic imaging, reducing patient exposure and operating room, 248
Procedures, evaluation of the resolution limit for radiological, 177
Processing of conventional tomograms, digital, 350
Processing units, digital subtraction fluoroscopic system with tandem video, 108
Processors, variation with kVp of exposure and attenuation throughout a radiographic system and assessment of the speed of films, screens, and, 73
Properties of, and detail perception on, a radiograph, influence of ambient light on the "visual" sensitometric, 57

Quantex DS-20, digital radiography using the, 114
Quantification of silver in radiographic film, 80

Radiation output (NERO), determination of x-ray tube potential (kV) waveform by a noninvasive evaluation of, 149
Radiograph, influence of ambient light on the "visual" sensitometric properties of , and detail prception, on, a, 57
Radiographic film, quantification of silver in, 80
Radiographic system and assessment of the speed of films, screens, and processors, variations with kVp of exposure and attenuation throughout a, 73
Radiography, characteristics of a linear xenon detector array for digital, 108
Radiography, dual-kVp, 239
Radiography through image computer simulation, an understanding of digital, 96
Radiography: an overview, digital, 215
Radiography using the Quantex DS-20, digital, 114
Radiography: spatial and contrast resolution, digital, 103
Radiological procedures, evaluation of the resolution limit for, 177
Radiology, computer controlled technique factors in diagnostic, 137
Radiology: development and evaluation leading to intravenous angiography, photoelectronic digital, 227
Radon transformation in conventional computed tomography, sampling the, 326
Rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, video-photographic system for, 343
Real-time ultrasonic imaging of the breast, video-photographic system for rapid inexpensive unit-record recording and flexible replay of, 343
Reconstruction with a new electronically collimated gamma tomography system, computer simulation or image, 192
Recording and flexible replay of real-time ultrasonic imaging of the breast, video-photographic system for rapid inexpensive unit-record, 343
Recovery, anatomy of silver, 235
Reducing patient exposure and operating room procedure time with electronic imaging, 248
Renal function by digital subtraction imaging, evaluation of, 120
Replay of real-time ultrasonic imaging of the breast, video-photographic system for rapid inexpensive unit-record recording and flexible, 343
Resolution, digital radiography: spatial and contrast, 103
Resolution limit for radiological procedures, evaluation of the, 177
Resonance, (NMR) imaging at Hammersmith Hospital, nuclear magnetic, 8
Resonance (NMR) imaging: heating effects of changing magnetic fields and rf fields on small metallic implants, potential hazards in nuclear magnetic, 210
Resonance (NMR) imaging system with full three-dimensional capabilities, a whole body nuclear magnetic, 41
Resonance (NMR) imaging at the University of California, San Francisco, nuclear magnetic, 11
Resonance (NMR) of myocardial infarction using surface coils, phosphorus nuclear magnetic, 16
Resonance (NMR) tomography at Nottingham: methods system technology and results, nuclear magnetic, 2
Resonance images, three-dimensional display of nuclear magnetic, 35
Results, nuclear magnetic resonance (NMR) tomography at Nottingham: methods system technology and, 2
Routine dual energy scanning, split-filter computed tomography (CT) for, 294

Sampling the Radon transformation in conventional computed tomography, 326
Scanners, dependence of the computerized tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT, 308
Scanners, evaluation of multiplanar imaging capabilities of four current computed tomography (CT), 318
Scanning, split-filter computed tomography (CT) for routine dual energy, 294
Screen speed designations: a need for standardization and some suggestions, 67
Screen-film systems on the transfer of image information, exposure limits imposed by, 52
Screens, and processors, variation with kVp of exposure and attenuation throughout a radiographic system and assessment of the speed of films, 73
Sensitometric properties of, and detail perception on, a radiograph, influence of ambient light on the "visual", 57
Sensitometry at low x-ray energies, 63
Silver halide in x-ray film, efficient use of, 232
Silver in radiographic film, quantification of, 80
Silver recovery, anatomy of, 235
Simulation of energy-dependent patient x-ray beam interactions, phantoms for the accurate, 134
Simulation of image reconstruction with a new electronically collimated gamma tomography system, computer, 192
Simulation, an understanding of digital radiography through image computer, 96
Size and x-ray beam filtration for fan beam CT scanners, dependence of the computerized tomography (CT) number-electron density relationship on patient, 308

Small metallic implants, potential hazards in nuclear magnetic resonance (NMR) imaging heating effects of changing magnetic fields and rf fields on, 210
Spatial and contrast resolution, digital radiography:, 103
Speed designations: a need for standardization and some suggestions, screen, 67
Speed of films, screens, and processors, variation with kVp of exposure and attenuation throughout a radiographic system and assessment of the, 73
Split-filter computed tomography (CT) for routine dual energy scanning, 294
Spot target, x-ray microbeam system with a discrete-, 244
Standardization and some suggestions, screen speed designations: a need for, 67
Storage compression for diagnostic images, digital, 357
Subtraction fluoroscopic system with tandem video processing units, digital, 108
Subtraction imaging, evaluation of renal function by digital, 120
Suggestions, screen speed designations: a need for standardization and some, 67
Surface coils, phosphorus nuclear magnetic resonance (NMR) of myocardial infarction using, 16
System with full three-dimensional capabilities, a whole body nuclear magnetic resonance (NMR) imaging, 41
System, performance characteristics of a digital fluorographic, 88
System for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, video-photographic, 343
System with tandem video processing units, digital subtration fluoroscopic, 108
System-level performance testing of image-intensified x-ray equipment, 153

Tandem video processing units, digital subtraction fluoroscopic system with, 108
Target, x-ray microbeam system with a discrete-spot, 244
Technique factors in diagnostic radiology, computer controlled, 137
Technology and results, nuclear magnetic resonance (NMR) tomography at Nottingham: methods system, 2
Testing of image-intensified x-ray equipment, system-level performance, 153
Three-dimensional capabilities, a whole body nuclear magnetic resonance (NMR) imaging system with full, 41
Three-dimensional display of nuclear magnetic resonance images, 35
Time with electronic imaging, reducing patient exposure and operating room procedure, 248
Tissue characterization of the brain, fundamentals of computerized tomography (CT), 256
Tissue characterization with contrast enhancement of the brain, 267
Tissue characterization by dynamic contrast enhancement of the brain, 278
Tissue characterization using energy-selective computed tomography, 301
Tomograms, digital processing of conventional, 350
Tomography (CT) number-electron density relationship on patient size and x-ray beam filtration for fan beam CT scanners, dependence of the computerized, 308
Tomography (CT) for routine dual energy scanning, split-filter computed, 294
Tomography (CT) scanners, evaluation of multiplanar imaging capabilities of four current computed, 318
Tomography (CT) tissue characterization of the brain, fundamentals of computerized, 256
Tomography, computerized heavy-ion, 283
Tomography at Nottingham: methods system technology and results, nuclear magnetic resonance (NMR), 2
Tomography, sampling the Radon transformation in conventional computed, 326
Tomography system, computer simulation of image reconstruction with a new electronically collimated gamma, 192
Tomography, tissue characterization using energy-selective computed, 301
Transfer of image information, exposure limits imposed by screen-film systems on the, 52
Transformation in conventional computed tomography, sampling the Radon, 326
Tube analysis of field uniformity for gamma cameras, tube by, 188
Tube contrast, photographic method for measurement of image intensifier, 168
Tube potential (kV) waveform by a noninvasive evaluation of radiation output (NERO), determination of x-ray, 149
Tube by the tube analysis of field uniformity for gamma cameras, 188

Unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, video-photographic system for rapid inexpensive, 343
University of California, San Francisco, nuclear magnetic resonance (NMR) imaging at the, 11
Ultrasonic imaging of the breast, video-photographic system for rapid inexpensive unit-record recording and flexible replay of real-time, 343
Understanding of digital radiography through image computer simulation, an, 96
Uniformity for gamma cameras, tube by tube analysis of field, 188
Use of silver halide in x-ray film, efficient, 232
Using the Quantex DS-20, digital radiography, 114

Variation with kVp of exposure and attenuation throughout a radiographic system and assessment of the speed of films, screens, and processors, 73
Video-photographic system for rapid inexpensive unit-record recording and flexible replay of real-time ultrasonic imaging of the breast, 343
Video processing units, digital subtraction fluoroscopic system with tandem, 108
"Visual" sensitometric properties of, and detail perception on, a radiograph, influence of ambient light on the , 57

Whole body nuclear magnetic resonance (NMR) imaging system with full three-dimensional capabilities, a, 41

Xenon detector array for digital radiography, characteristics of a linear, 108
X-ray beam filtration for fan beam CT scanners, dependence of the computerized tomography (CT) number-electron density relationship on patient size and, 308
X-ray beam interactions, phantoms for the accurate simulation of energy-dependent patient, 134
X-ray energies, sensitometry at low, 63
X-ray equipment, system-level performance testing of image-intensified, 153
X-ray film, efficient use of silver halide in, 232
X-ray guide potential (kV) waveform by a noninvasive evaluation of radiation output (NERO), determination of, 149
X-ray microbeam system with a discrete-spot target, 244
X-ray phantom development for observer performance studies, 77